

# Grange Square Ltd

## Air Motor Technical Data Sheet

Motor Model:

# 35MY-2200


Medium torque, high speed and lever-less multi-direction Air Motor with lube-free operation.




### Technical Data

Power	0.33hp/0.25kW
No Load Speed	2200 RPM
Nominal Speed Range	1200-2000 RPM
Stall Torque	3Nm
Nominal Torque Range	0.5Nm – 2Nm
Direction of Rotation	Clockwise, anti-clockwise or bi-directional
Lubricated Operation?	Lube & Non-Lube available
Operation	External Valve (not included)
Air Input	1/8" threaded
Exhaust Direction	Rear
Mounting Detail	Via Clamp
Weight	645 grams
Body Diameter	40mm
Length	130mm (inc output silencers)
Default Construction	Chemical black steel & steel
Stainless Steel Components?	Custom components available
Output Shaft	6mm female hex
Features	Multi-direction operation
Optional extras	Bespoke output shaft, lube-free operation, bespoke input interface.
All data relative to 6 bar working pressure	

**35MY-2200**  
Performance at 6 bar air pressure







Grange Square Ltd, Birmingham, UK  
+44 (0) 1675 481 661

[www.grangesquare.co.uk](http://www.grangesquare.co.uk)  
[miles@grangesquare.co.uk](mailto:miles@grangesquare.co.uk)